




# SNOWTHROWERS





# POWERFUL PERFORMANCE FOR TOUGH JOBS

Built to handle even the toughest winters, a Simplicity® snowthrower will bring a premium experience and performance to your winter chore. Snow removal is no longer a hassle when you have dependable equipment that will make life easier and yard work more comfortable.



## VELOCITY™ THROWING SYSTEM

Quickly clears heavy snow and throws it 40% farther,<sup>1</sup> making snow removal easier and faster.

## DUAL LED HEADLIGHTS WITH COURTESY PATH LIGHTING

Provides increased visibility by illuminating the path being cleared.

## ELECTRIC CHUTE AND CONTROL POD

Easily adjusts the chute rotation and deflector angle to provide pin-point accuracy with a simple push of a button.



**MEDIUM-LARGE DRIVEWAY**



**UP TO 60' THROWING<sup>1</sup>**  
WITH VELOCITY™  
THROWING SYSTEM



**HEAVY SNOWFALL**



<sup>1</sup>Time, capacity and snow throwing ability can be greatly affected by conditions.  
<sup>2</sup>See operator's manual or simplicitymfg.com for complete warranty details.

# Signature DUAL-STAGE

**POWERFUL, HEAVY-DUTY PERFORMANCE** Clearing snow has never been easier than with the exclusive features found in our Signature dual-stage snowthrowers. These snowthrowers give you more options than ever to tackle snow clearing jobs in a larger area. A reliable Briggs & Stratton® engine specifically designed for harsh weather gives you the power to get the job done.

---

## AVAILABLE MODELS

**24** inch clearing width / **14.5** ft-lbs gross torque<sup>1</sup>  
Briggs & Stratton 1450 Professional Series™  
OHV Snow Engine, 306cc

**28** inch clearing width / **16.5** ft-lbs gross torque<sup>1</sup>  
Briggs & Stratton 1650 Professional Series  
OHV Snow Engine, 420cc

**32** inch clearing width / **21** ft-lbs gross torque<sup>1</sup>  
Briggs & Stratton 2100 Professional Series  
OHV Snow Engine, 420cc

---

**ADDITIONAL FEATURES:** Electric start, Free Hand™ Control, durable friction disk with dual trigger steerable transmission, heated hand grips, polymer skid shoes, cast-iron gear case, 3-Year limited warranty.<sup>2</sup>



 **TEXT 'SIGNATURE' TO 33988**  
**TO SEE THEM IN ACTION**

Message and data rates may apply.  
Go to [simplicitymfg.com](http://simplicitymfg.com) for privacy and terms info.

<sup>1</sup>All power levels are stated gross torque at 2600 RPM per SAE J1940 as rated by Briggs & Stratton.

<sup>2</sup>See operator's manual or [simplicitymfg.com](http://simplicitymfg.com) for complete warranty details.





# Signature Pro DUAL-STAGE

**PROFESSIONAL POWER FOR PROFESSIONAL JOBS** There's no job too large for these models. The Signature Pro dual-stage snowthrowers have all the features a professional would demand and then some. They feature Briggs & Stratton Professional Series OHV engines, integrated channel handles and commercial-grade transmissions.

---

## AVAILABLE MODELS

**24** inch clearing width / **16.5** ft-lbs gross torque<sup>1</sup>

Briggs & Stratton 1650 Professional Series  
OHV Snow Engine, 420cc

**28** inch clearing width / **21** ft-lbs gross torque<sup>1</sup>

Briggs & Stratton 2100 Professional Series  
OHV Snow Engine, 420cc

**32** inch clearing width / **21** ft-lbs gross torque<sup>1</sup>

Briggs & Stratton 2100 Professional Series  
OHV Snow Engine, 420cc

**38** inch clearing width / **21** ft-lbs gross torque<sup>1</sup>

Briggs & Stratton 2100 Professional Series  
OHV Snow Engine, 420cc



---

**ADDITIONAL FEATURES:** Heated hand grips, commercial-grade Easy Turn™ friction disc drive system, cast-iron gear case, polymer skid shoes (P2138 has steel skid shoes) and 3-Year limited warranty and 1-Year commercial limited warranty.<sup>2</sup>

 **TEXT 'PRO' TO 33988**  
TO SEE THEM IN ACTION  
Message and data rates may apply.  
Go to [simplicitymfg.com](http://simplicitymfg.com) for privacy and terms info.

## SIGNATURE

	MODEL	1524	1728	2132
	PART NUMBER	1696920	1696921	1696922
<b>AUGER / IMPELLER</b>	Type	Dual-Stage	Dual-Stage	Dual-Stage
	Clearing Width (in.)	24	28	32
	Throwing Distance <sup>1</sup> (ft.)	55	60	60
	Intake Height (in.)	23	23	23
	Auger Diameter (in.)	14	14	14
	Auger Type	Serrated Steel	Serrated Steel	Serrated Steel
	Auger Gear Case Material	Cast-Iron	Cast-Iron	Cast-Iron
	Impeller Diameter (in.)	12	12	12
	No. of Impeller Blades	3	3	3
	Skid Shoes	Polymer Reversible	Polymer Reversible	Polymer Reversible
<b>ENGINE</b>	Brand	Briggs & Stratton® 1450 Professional Series™	Briggs & Stratton® 1650 Professional Series™	Briggs & Stratton® 2100 Professional Series™
	Technology	4-cycle, OHV	4-Cycle, OHV	4-Cycle, OHV
	Engine Displacement (cc)	306	420	420
	Gross Torque <sup>2</sup> (ft-lbs)	14.50	16.50	21.00
	Fuel Tank Capacity (qt.)	3.2	3.2	5.9
	Starter	Electric with Recoil Back-up	Electric with Recoil Back-up	Electric with Recoil Back-up
<b>CHUTE</b>	Chute Material	Steel	Steel	Steel
	Chute Rotation	200° Electric	200° Electric	200° Electric
	Chute Deflector	Electric	Electric	Electric
<b>DRIVE SYSTEM</b>	Drive Type	Friction Disc Drive	Friction Disc Drive	Friction Disc Drive
	Speeds	6F - 2R	6F - 2R	6F - 2R
	Tire Size / Tread	16" x 4.8"	16" x 4.8"	16" x 4.8"
<b>CONTROLS</b>	Free Hand™ Control	Standard	Standard	Standard
	Trigger Steering	Standard	Standard	Standard
	Heated Hand Grips	Standard	Standard	Standard
<b>OPTIONS</b>	Headlight	Dual LED	Dual LED	Dual LED
	Storage Cover	Optional	Optional	Optional
	Clean-Out Tool	Standard	Standard	Standard
	Drift Cutters	Optional	Optional	Optional
	Snow Cab	Optional	Optional	Optional
	Tire Chains	Optional	Optional	Optional
<b>LIMITED WARRANTY<sup>3</sup></b>	Consumer	3-Years	3-Years	3-Years
	Commercial	90-Days	90-Days	90-Days
	Gear Case	5-Years	5-Years	5-Years

UPGRADES NOTED IN ORANGE

## SIGNATURE PRO

P1724	P2128	P2132	P2138
1696927	1696928	1696929	1696930
Dual-Stage	Dual-Stage	Dual-Stage	Dual-Stage
24	28	32	38
60	60	60	60
23	23	23	23
14	14	14	14
Serrated Steel	Serrated Steel	Serrated Steel	Serrated Steel
Cast-Iron	Cast-Iron	Cast-Iron	Cast-Iron
12	12	12	12
3	3	3	3
Polymer Reversible	Polymer Reversible	Polymer Reversible	Deluxe Steel Reversible
Briggs & Stratton® 1650 Professional Series™	Briggs & Stratton® 2100 Professional Series™	Briggs & Stratton® 2100 Professional Series™	Briggs & Stratton® 2100 Professional Series™
4-Cycle, OHV	4-Cycle, OHV	4-Cycle, OHV	4-Cycle, OHV
420	420	420	420
16.50	21.00	21.00	21.00
3.2	5.9	5.9	5.9
Electric with Recoil Back-up	Electric with Recoil Back-up	Electric with Recoil Back-up	Electric with Recoil Back-up
Steel	Steel	Steel	Steel
200° Electric	200° Electric	200° Electric	200° Electric
Electric	Electric	Electric	Electric
Commercial-Grade Friction Disc Drive	Commercial-Grade Friction Disc Drive	Commercial-Grade Friction Disc Drive	Commercial-Grade Friction Disc Drive
5F - 2R	5F - 2R	5F - 2R	5F - 2R
16" x 4.8"	16" x 4.8"	16" x 4.8"	16" x 6.5"
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard
Dual LED	Dual LED	Dual LED	Dual LED
Optional	Optional	Optional	Optional
Standard	Standard	Standard	Standard
Optional	Optional	Optional	Optional
Optional	Optional	Optional	Optional
Optional	Optional	Optional	Optional
3-Years	3-Years	3-Years	3-Years
1-Year	1-Year	1-Year	1-Year
5-Years	5-Years	5-Years	5-Years

<sup>1</sup>Capacity and throwing distances can be greatly affected by conditions.

<sup>2</sup>All power levels are stated gross torque at 2600 RPM per SAE J1940 as rated by Briggs & Stratton.

<sup>3</sup>See operator's manual or [simplicitymfg.com](http://simplicitymfg.com) for complete warranty details.



# THE DEALER **ADVANTAGE**

**NEIGHBORHOOD DEALER EXPERIENCE** A local dealer who handles snowthrowers is a great resource for finding the right product. Their experience and expertise can be invaluable in ensuring you go home with the snowthrower that best meets your needs. Your Simplicity Dealer will also provide instructions on how to operate your new snowthrower to make sure you are comfortable with the model you have selected and ready to tackle the next snowfall.



[simplicitymfg.com](http://simplicitymfg.com)



TEXT '**BROCHURE**' TO **33988**  
FOR A DIGITAL VERSION OF THIS BROCHURE

Message and data rates may apply.  
Go to [simplicitymfg.com](http://simplicitymfg.com) for privacy and terms info.

Briggs & Stratton has a policy of continuous product improvement and reserves the right to modify its specifications, features or pricing without notice. Product may vary from images shown.

**BRIGGS & STRATTON**  
MILWAUKEE, WI 53201-0702 USA  
(414) 259-5333  
Copyright ©2022. All rights reserved.

220000